




Video intercom indoor unit

Add a little technology to your life





Smart home system



WHOLE HOUSE LANBON SMART HOME SYSTEM

Intergrated Video intercom, Wired & Wireless alarm. L7 and L8 series Smart switch, support various Scenes.





Intercom system

720P HD picture quality, SIP communication protocol, support POE power supply, RJ45 network cable interface, full duplex intercom, noise suppression function, support villa and high-rise






Intercom and smart home use separate networks

The intercom system is connected by network cable, and the smart home system is connected by WIFI. The two sets are complete and independent networks, thus making the actual use more flexible and convenient







Scene function

When you arrive home, do you want to turn on the lights one by one or press one button at the door to turn them all on?





1

Support L7 series smart home system

Support Zigbee system, up to 50 devices, fast, stable and reliable operation, support scene function, no network control, synchronization with mobile APP, simple configuration and operation.




Support L8 series smart home system

Support WIFI MESH system, support up to 128 devices, fast, stable and reliable operation, support scene function, no network control, support synchronization with mobile APP, simple configuration and operation.




Support wired alarm sensor

A total of 8 zones, support door magnetic, infrared probe, smoke zero probe, gas probe, etc., alarm response quickly 0.5 seconds stable and reliable, provide DC12V output, built-in high-decibel buzzer, APP can receive alarm push, can set various modes at home and away from home



Support Wireless alarm sensor

A total of 8 defense zones, support door magnetic, infrared probe, smoke zero probe, gas probe, etc., support 433Mhz wireless probe, connected to a high degree of sensitivity up to 30 meters, built-in high-decibel buzzer, APP can receive alarm push, can be set at home and away from home in various modes





Applicable scene

Can be widely used in residences, schools, hotels, community entrances and exits and other places.
















Size

Product parameters

Installation location diagram











L8-PAC1-W(White)

L8-PAC1-BW(Black and White)

L8-PAC1-B(Black)

Product parameters	
Model:	L8-PAC1
Size:	240mm*160mm*17mm
Weight:	0.8KG
Working voltage:	DC12V
LCD screen:	7-inch high-definition LCD screen
Screen resolution:	1024x600
Touch screen type:	Capacitive touch screen
Interface type:	RJ45
Support POE:	Yes
Operating system:	OpenRTOS
Communication protocol:	SIP
Number of alarm zones:	8 wired, 8 wireless
Support wireless alarm type:	433Mhz
Support smart home system:	L8 System, L7 System
Support smart home connection types:	WIFI, WIFI MESH, Zigbee
Intercom network and smart home network:	Completely independent of each other
Number of supported smart home devices:	200PCS
Working temperature:	-20°C-50°C
Working humidity:	90%
Waterproof grade:	IP50